



32 fl. oz. ready-to-spray

**Directions for use:**

*It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.*

Shake well before using.

**Not** for use in food handling areas.

Since Grub Killer interferes with insect growth functions, it is most effective when applied 2-3 times at 7-10 day intervals.

Applying directly onto target pest will increase efficacy. Time applications for early to mid-morning or late afternoon.

Do **not** add other chemicals to Grub Killer Solution.

**DO NOT APPLY:**

Do not apply to wilted, stressed or newly transplanted materials prior to root development.

Do not apply to known sensitive plant species without prior testing.

Do not apply to hibiscus flowers due to potential plant damage.

**Hose End Applicator Instructions:**

1. Make sure knob is twisted fully clockwise to OFF position. Shake well, then attach to hose.
2. Turn Product Control Button clockwise until the flat portion is flush with the lock tab, then push button all the way in. Avoid squeezing the bottle.
3. Turn water on at faucet, aim nozzle toward surface to be sprayed and turn knob counter-clockwise to begin spraying.

4. When finished, push Product Control Button to OFF position from opposite side. Return knob and faucet to Off position. Discharge water pressure by turning knob ON and OFF again. Turn Product Control Button counter-clockwise away from lock tab to prevent accidental discharge. Store out of reach of children and pets.

### **Foliar Application (Trees and Shrubs)**

For use on trees and shrubs on home landscapes to control the immature larval stages of the following insect pests: leafminers, leaf hoppers, gypsy moths, weevils, psyllids, webworms, hornworms, spruce bud worms, pine sawflies, elm leaf beetle and grasshoppers.

**Use Directions:** The 32 oz hose-end applicator for trees and shrubs will treat up to 10 ten foot trees. Repeat application 2 to 3 times at an interval of 7-10 days. Apply to leaf surfaces to run-off. Be sure to coat underside of leaves as this is where many insects hide. Avoid accessive application.

### **Lawn Application:**

For use on home lawns to control the immature larval stages of the following insect pests: Mole crickets, white grubs, sod webworms, fall armyworms, chinch bugs, hyperodes weevil, and billbugs.

**Use Directions:** The 32 oz hose-end applicator for lawns will treat approximately 2000-4000 square feet. Apply Grub Killer 2-3 times on a 7-10 day interval to insure effective control of surface and sub-surface feeding pests.

## **PRECAUTIONARY STATEMENTS:**

Hazards to Humans and Domestic Animals:

**CAUTION:** Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

## **FIRST AID:**

**If swallowed:**

- Call a poison control center or doctor immediately for further treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

**If on skin or clothing:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**Storage and Disposal:**

**Storage:** Keep in original container. Store in a cool dry place, away from direct sunlight, feed or foodstuffs. Keep container tightly sealed when not in use. Do not store below 50° F. (10° C) or above 95° F (35° C).

**Pesticide and Container Disposal:**

**If empty:** Do not reuse this container. Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.